

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(US-6032257-\$ or US-6654886-\$ or US-6611870-\$ or US-5774544-\$ or US-5790783-\$ or US-5946497-\$ or US-5933620-\$ or US-5790663-\$). did.	USPAT	OR	OFF	2003/12/05 09:27
L1	3	(@ad<"20000314" and 713/168, 169.ccls. and (hardware processor microprocessor cpu) adj (serial identif\$6 number)) and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 08:15
L2	9	@ad<"20000314" and 713/168,169. ccls. and (hardware processor microprocessor cpu) adj (serial identif\$6 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 08:15
L3	76	@ad<"20000314" and hash and (processor microprocessor cpu) with (serial identifier id) same (authentic\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 08:15
L4	67	@ad<"20000314" and processor with "unique identification number"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 08:15
L5	123	@ad<"20000314" and decrypt\$5 same hash same (computer hardware processor) with (ID identification serial key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 08:15
L6	12	@ad<"20000314" and ((computer hardware) adj (serial identifier id) and encrypted adj (content data) and hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 08:15
L7	193	"Advanced Micro Devices" and serial adj numbers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 08:15
L8	129	@ad<"20000314" and hash with serial	USPAT	OR	OFF	2005/04/01 08:15
L9	30	@ad<"20000314" and (content media) with protection and (download\$2) same (player program) same decrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 08:15

L10	0	@ad<"20000314" and download with encrypted adj (content media) with program	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 08:15
L11	4	(709/229.ccls. and @ad<"20000314") and (url with hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 08:16
L12	18926410	@ad<"20000314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 08:16
L13	18926410	@ad<"20000314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 08:16
L14	1849	L13 and 713/193,201,185.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 08:16
L15	0	"l15" and hash with serial	USPAT	OR	OFF	2005/04/01 08:20
L16	16	l14 and hash with serial	USPAT	OR	OFF	2005/04/01 08:20
S1	18887564	@ad<"20000314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/05 10:40
S2	73	S1 and key with (Expected stored) adj hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/05 10:42
S3	82	S1 and key with (Expect\$2 store\$2) adj hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/05 10:44
S4	114	S1 and hash with ((processor adj number) (serial adj number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/05 10:55

S5	47	S1 and hash with ((processor adj number) (serial adj number)) with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/05 11:33
S6	1708	S1 and 713/193,201,185.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/05 11:36
S7	81	S6 and hash with (serial processor identifier ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/05 11:36
S8	670	@ad<"20000314" and hash and (processor microprocessor cpu) with (serial identifier id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 12:45
S9	64	@ad<"20000314" and hash and (processor microprocessor cpu) with (serial identifier id) same (authentic\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 15:06
S10	8	@ad<"20000314" and 713/168,169.ccls. and (hardware processor microprocessor cpu) adj (serial identif\$6 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 15:31
S11	3	(@ad<"20000314" and 713/168,169.ccls. and (hardware processor microprocessor cpu) adj (serial identif\$6 number)) and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 15:13
S12	6	@ad<"20000314" and (hardware processor microprocessor cpu) adj (serial identif\$6 number) with hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 16:13
S13	1	"5913227".PN.	USPAT	OR	OFF	2003/12/03 15:50
S14	1	"5793861".PN.	USPAT	OR	OFF	2003/12/03 16:15
S15	65	@ad<"20000314" and processor with "unique identification number"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/03 16:17
S16	1	"5542087".PN.	USPAT	OR	OFF	2003/12/03 16:17
S17	1	"5506961".PN.	USPAT	OR	OFF	2003/12/03 16:19
S18	1	"4866769".PN.	USPAT	OR	OFF	2003/12/03 17:11

S19	2	"6418473".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 12:40
S20	2	"6418472".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 12:40
S21	32	(computer hardware) adj (serial identifier id) and encrypted adj (content data) and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 14:50
S22	9	@ad<"20000314" and ((computer hardware) adj (serial identifier id) and encrypted adj (content data) and hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 14:22
S23	3	@ad<"20000314" and content with delivery and player with hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 15:06
S24	107	@ad<"20000314" and decrypt\$5 same hash same (computer hardware processor) with (ID identification serial key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 15:35
S25	8	@ad<"20000314" and decrypt\$5 same hash same (computer hardware processor) adj (ID identification serial key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 15:38
S26	1	"5966440".PN.	USPAT	OR	OFF	2003/12/04 15:45
S27	16	daneels.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 09:15
S28	99	danneels.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 09:19
S29	1	"6289459".PN.	USPAT	OR	OFF	2003/12/05 09:16
S30	1	"5774544".PN.	USPAT	OR	OFF	2003/12/05 09:16
S31	1	"5619657".PN.	USPAT	OR	OFF	2003/12/05 09:17
S32	1	"5790664".PN.	USPAT	OR	OFF	2003/12/05 09:17

S33	1	"5790783".PN.	USPAT	OR	OFF	2003/12/05 09:17
S34	1	"5774544".PN.	USPAT	OR	OFF	2003/12/05 09:18
S35	1	"5946497".PN.	USPAT	OR	OFF	2003/12/05 09:18
S36	1	"5991413".PN.	USPAT	OR	OFF	2003/12/05 09:18
S37	1	"6067582".PN.	USPAT	OR	OFF	2003/12/05 09:19
S38	1	"6070243".PN.	USPAT	OR	OFF	2003/12/05 09:19
S39	1	"5774544".PN.	USPAT	OR	OFF	2003/12/05 09:19
S40	165	"Advanced Micro Devices" and serial adj numbers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 09:19
S41	165	"Advanced Micro Devices" and serial adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 09:19
S42	18847249	@ad<"20000314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 09:20
S43	121	("Advanced Micro Devices" and serial adj number) and @ad<"20000314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 09:20
S44	2	((("Advanced Micro Devices" and serial adj number) and @ad<"20000314") and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 09:20
S45	2	((US-6032257-\$ or US-6654886-\$ or US-6611870-\$ or US-5774544-\$ or US-5790783-\$ or US-5946497-\$ or US-5933620-\$ or US-5790663-\$). did.) and hash	USPAT	OR	OFF	2003/12/05 09:36
S46	0	("Advanced Micro Devices" and serial adj number) and hash with serial with web	USPAT	OR	OFF	2003/12/05 09:36
S47	0	@ad<"20000314" and hash with serial with web	USPAT	OR	OFF	2003/12/05 09:38
S48	119	@ad<"20000314" and hash with serial	USPAT	OR	OFF	2005/04/01 08:16
S49	30	@ad<"20000314" and hash with serial with unique	USPAT	OR	OFF	2003/12/05 09:40

S50	58	@ad<"20000314" and content with delivery same player	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 12:30
S51	7	@ad<"20000314" and content with delivery same player same decrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 12:12
S52	19	@ad<"20000314" and (content media) with (delivery download\$2) same player same decrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 12:50
S53	12	((@ad<"20000314" and (content media) with (delivery download\$2) same player same decrypt\$5) not (@ad<"20000314" and content with delivery same player same decrypt\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 12:12
S54	13	@ad<"20000314" and content with delivery same download with (player program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 12:49
S55	5	((@ad<"20000314" and content with delivery same download with (player program)) and decrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 12:49
S56	53	@ad<"20000314" and (content media) with (delivery download\$2) same (player program) same decrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 12:56
S57	34	((@ad<"20000314" and (content media) with (delivery download\$2) same (player program) same decrypt\$5) not (@ad<"20000314" and (content media) with (delivery download\$2) same player same decrypt\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 12:50
S58	25	@ad<"20000314" and (content media) with protection and (download\$2) same (player program) same decrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 13:28

S59	18	@ad<"20000314" and (content media) with delivery and (download\$2) same (player program) same decrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 13:00
S60	57	@ad<"20000314" and (content media) with download\$4 and (download\$2) same (player program) same decrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 13:01
S61	36	@ad<"20000314" and encrypted with (media content) and (download\$2) with (player program application) same decrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 13:03
S62	69	@ad<"20000314" and liquid adj audio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 13:12
S63	0	@ad<"20000314" and download with encrypted adj (content media) with program	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 13:13
S64	1	@ad<"20000314" and download with encrypted adj (content media) with player	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 13:19
S65	0	@ad<"20000314" and download with encrypted adj (content media) with program	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 13:19
S66	13	@ad<"20000314" and (media content) with (distribut\$5 delivery) and decrypt\$5 same player same download	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 13:34
S67	1	(@ad<"20000314" and (media content music video) with (distribut\$5 delivery) and decrypt\$5 same player same download) not (@ad<"20000314" and (media content) with (distribut\$5 delivery) and decrypt\$5 same player same download)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 13:35

S68	14	@ad<"20000314" and (media content music video) with (distribut\$5 delivery) and decrypt\$5 same player same download	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 13:57
S69	20	@ad<"20000314" and (media content music video) with (player) and decrypt\$5 same player same download	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 13:58
S70	21	@ad<"20000314" and (media content music video) and decrypt\$5 same player same download	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 13:58
S71	223	url with hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 09:08
S72	18850304	@ad<"20000314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 09:06
S73	98	(url with hash) and @ad<"20000314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 09:06
S74	47	(url with hash) and @ad<"20000314" and string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 09:08
S75	23	url with hash with string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 09:14
S76	7	(url with hash with string) and @ad<"20000314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 09:51
S77	37	713/200.ccls. and hash same identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 09:51

S78	1561	709/229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 09:51
S79	891	709/229.ccls. and @ad<"20000314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 09:51
S80	4	(709/229.ccls. and @ad<"20000314") and (url with hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 09:52
S81	497	@ad<"20000314" and (processor microprocessor cpu) with embedded with instructions	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 16:36
S82	111	@ad<"20000314" and (processor microprocessor cpu) with embedded with instructions and (processor microprocessor cpu) with (id identifier serial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 16:37
S83	234	@ad<"20000314" and (processor microprocessor cpu) with embedded with instructions and (processor microprocessor cpu) with (id identifier serial number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 16:36
S84	2	(@ad<"20000314" and (processor microprocessor cpu) with embedded with instructions and (processor microprocessor cpu) with (id identifier serial)) and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 16:37
S85	190	@ad<"20000314" and embedded adj instructions	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 12:50
S86	17	(@ad<"20000314" and embedded adj instructions) and serial adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 12:50
S87	0	(@ad<"20000314" and embedded adj instructions) and (send sent transmit\$3) with key with expected with hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 12:50

S88	0	(@ad<"20000314" and embedded adj instructions) and (send sent transmit\$3) same key with expected with hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 12:51
S89	0	(@ad<"20000314" and embedded adj instructions) and key with expected with hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 12:51
S90	18887564	@ad<"20000314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 12:50
S91	0	@ad<"20000314" and (send sent transmit\$3) with key with expected with hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 12:51
S92	0	@ad<"20000314" and (send sent transmit\$3) same key with expected with hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 13:03
S93	14	@ad<"20000314" and key with expected with hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 12:57
S94	2	"6070237".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 12:57
S95	0	@ad<"20000314" and (send sent transmit\$3) with expected with hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 13:04
S96	0	@ad<"20000314" and (send sent transmit\$3) with expect\$2 with hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 13:05
S10 2	18922135	@ad<"20000314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 14:22

S10 3	23804	S102 and microprocessor with (number id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 14:23
S10 4	80430	S102 and (microprocessor processor) with (number id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 14:23
S10 5	31406	S102 and (microprocessor processor) near3 (number id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 14:36
S10 6	67	S105 and (microcode instruction) with hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 14:36
S10 7	1	"5790834".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/18 13:32
S10 8	16	("4853844" "4866769" "4964074" "4967346" "4970640" "4974191" "5113518" "5121486" "5144551" "5163145" "5214652" "5287531" "5408611" "5426767" "5459854").PN. OR ("5790834"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/18 13:33
S10 9	1	"6,418,472".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/18 13:33